



FOX

DIAMETRI E PIANEROTTOLI, DIAMETERS AND LANDINGS, DIAMÈTRES ET PALIERS

FORO, WELL, TRÉMIE



L	C1	C2	C3
1100	622	729	601
1200	675	787	649
1300	722	846	696
1400	773	904	743
1500	823	962	791
1600	873	1021	838








Diametri disponibili, senso di salita, forme e possibili pianerottoli d'arrivo con dimensione d'uscita per scale a pianta circolare e a pianta quadrata.

Available diameters, staircase rotation, shapes and possible arrival landings with exit dimension for round and well staircases.

Diamètres disponibles, sens de rotation, formes et possibles paliers d'arrivée avec dimension de sortie pour escaliers ronds ou carrés.






APERTURA GRADINI, TREADS OPENING, OUVERTURE DES MARCHES

FISSAGGIO ARRIVO SBARCO, FIXING OF THE ARRIVAL LANDING, FIXATION DU PALIER D'ARRIVÉE




FOX DM

ALTEZZE E NUMERO GRADINI, FLOOR HEIGHTS AND TREADS NUMBER, HAUTEURS ET NOMBRE DES MARCHES - G11 ÷ G...



MIN 205 ÷ MAX 240



CARATTERISTICHE, FEATURES, CARACTÉRISTIQUES



CORRIMANO PELLICOLATO LEGNO O GRIGIO
TIMBER EFFECT FOR THE HANDRAIL
MAIN COURANTE EFFET BOIS

ESSENZA FAGGIO
BEECH WOOD
ESSENCE HÊTRE

RINGHIERA COLONNE Ø 22mm
BANISTER WITH SPINDLES Ø 22mm
GARDE-CORPS AVEC COLONNETTES Ø 22mm

PALO METAL
METAL CENTRAL POLE
POTEAU OU MÉTAL

PORTATA 200 Kg/m²
LOAD 200 Kg/m²
PORTÉE 200 Kg/m²

SENSO DI SALITA: ORARIO E ANTIORARIO
USO INTERNO
STAIRCASE ROTATION: CLOCKWISE AND ANTICLOCKWISE
INTERNAL USE

SENS DE MONTÉE: HORAIRE OU ANTI-HORAIRE
USAGE INTÉRIEUR








FOX DM


FOX DM Q

FOX DL

ALTEZZE E NUMERO GRADINI, FLOOR HEIGHTS AND TREADS NUMBER, HAUTEURS ET NOMBRE DES MARCHES - G11 ÷ G...



MIN 205 ÷ MAX 240



CARATTERISTICHE, FEATURES, CARACTÉRISTIQUES



CORRIMANO PELLICOLATO LEGNO O GRIGIO
TIMBER EFFECT FOR THE HANDRAIL
MAIN COURANTE EFFET BOIS

ESSENZA FAGGIO
BEECH WOOD
ESSENCE HÊTRE

RINGHIERA COLONNE Ø 22mm
BANISTER WITH SPINDLES Ø 22mm
GARDE-CORPS AVEC COLONNETTES Ø 22mm

PALO IN LEGNO
WOOD CENTRAL POLE
POTEAU OU BOIS

PORTATA 200 Kg/m²
LOAD 200 Kg/m²
PORTÉE 200 Kg/m²

SENSO DI SALITA: ORARIO E ANTIORARIO
USO INTERNO

STAIRCASE ROTATION:
CLOCKWISE AND ANTICLOCKWISE
INTERNAL USE

SENS DE MONTÉE: HORAIRE OU ANTI-HORAIRE
USAGE INTÉRIEUR




FOX DM

FOX DM Q

FOX

BALAUSTRE PROTEZIONE FORO, FLOOR PROTECTION BALUSTRADE, GARDE-CORPS ÉTAGE POUR LA TRÉMIE




CORRIMANO EFFETTO LEGNO - Timber effect for the handrail - Main courante effet bois



NOCE
CHESTNUT
NOYER



NATURALE
NATURAL
NATURELLE



GRIGIO * SOLO FOX GREY
GREY * FOX GREY ONLY
GRIS * SEULEMENT FOX GREY